NICHQ Vanderbilt Assessment Scales

Used for diagnosing ADHD



NICHQ Vanderbilt Assessment Follow-up—PARENT Informant

D5

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name:

Parent's Phone Number:

Directions: Each rating should be considered in the context of what is appropriate for the age of your child. Please think about your child's behaviors since the last assessment scale was filled out when rating his/her behaviors.

Is this evaluation based on a time when the child 🛛 🗌 was on medication 🗌 was not on medication 🗌 not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

		Above	Somewhat of a			
Performance	Excellent	Average	Average	Problem	Problematic	
19. Overall school performance	1	2	3	4	5	
20. Reading	1	2	3	4	5	
21. Writing	1	2	3	4	5	
22. Mathematics	1	2	3	4	5	
23. Relationship with parents	1	2	3	4	5	
24. Relationship with siblings	1	2	3	4	5	
25. Relationship with peers	1	2	3	4	5	
26. Participation in organized activities (eg, teams)	1	2	3	4	5	

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

National Institute for Children's Health Quality

Healthcare Quality

Revised - 0303



Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

NICHQ Vanderbilt Assessment Follow-up—PARENT Informant, continued

Parent's Phone Number: _____

D5

Headache

Parent's Name:

Today's Date: _____ Date of Birth: _____ Date of Birth: _____

Severe

Side Effects: Has your child experienced any of the following side Are these side effects currently a problem? effects or problems in the past week? None Mild Moderate

Stomachache		
Change of appetite—explain below		
Trouble sleeping		
Irritability in the late morning, late afternoon, or evening—explain below		
Socially withdrawn—decreased interaction with others		
Extreme sadness or unusual crying		
Dull, tired, listless behavior		
Tremors/feeling shaky		
Repetitive movements, tics, jerking, twitching, eye blinking-explain below		
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below		
Sees or hears things that aren't there		

Explain/Comments:

For Office Use Only

Total Symptom Score for questions 1-18:

Average Performance Score for questions 19–26:

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™



