

## Immunization Schedule

<b>Birth</b>	Hep B, RSV <sup>#</sup>
<b>1 mo</b>	Hep B
<b>2 mo</b>	DTap/IPV/Hib, Pneumococcal, Rotavirus (oral)
<b>4 mo</b>	DTap/IPV/Hib, Pneumococcal, Rotavirus (oral)
<b>6 mo</b>	DTap/IPV/Hib, Pneumococcal, Rotavirus (oral), Influenza*, COVID*
<b>9 mo</b>	Hep B, Influenza*, COVID*
<b>12 mo</b>	MMR, Varicella, Hep A, Influenza*, COVID*
<b>15 mo</b>	DTap/IPV/Hib, Pneumococcal, Influenza*, COVID*
<b>18 mo</b>	Hep A, Influenza*, COVID*
<b>24 mo</b>	Influenza*, COVID*
<b>30 mo</b>	Influenza*, COVID*
<b>36 mo</b>	Influenza*, COVID*
<b>4 yr</b>	DTap/IPV, MMR/Varicella, Influenza*, COVID*
<b>5-10 yr</b>	Influenza*, COVID* (annual)
<b>11 yr</b>	TDaP, HPV, Meningococcal ACYW, Influenza*, COVID*
<b>12 yr</b>	HPV, influenza*, COVID*
<b>13-15 yr</b>	Influenza*, COVID* (annual)
<b>16 yr</b>	Meningococcal ACYW, Men B <sup>***</sup> , HPV <sup>**</sup> , Influenza*, COVID*
<b>17-18 yr</b>	Men B <sup>***</sup> , Influenza*, COVID*

<sup>#</sup> Not necessary if MATERNAL vaccine given between 32-38 weeks pregnancy

\* **ANNUAL** vaccines (schedule may vary by age and season, may be done at visits other than well child exams)

\*\* Third dose only necessary if series started late (after age 15)

\*\*\* Shared clinical decision making